SOLAR MD STORAGE PRODUCTS



SS7023

SS7023 has been widely used in energy storage applications in the African market. The battery is produced with the world-leading CATL LiFePO4 technology.

BATTERY FEATURES

- Stable discharge platform
- Excellent safety
- Long life cycle
- ✓ High temperature performance
- High energy density
- High charge and discharge rate
- High efficiency
- No pollution

	SS7023
Cell chemistry	Lithium Iron Phosphate (LiFePO4)
Cell manufacturer	CATL
Rated capacity	228.8kWh
Nominal Power	160.0kW
Usable Battery Energy @0.3C	208.0kWh
Nominal Voltage	819.2V
Number of battery modules	16
Weight per module	115kg
Total weight	1940kg
Operational Voltage	716.8 - 889.6Vdc
Communication	CANBUS / RS485 / Ethernet
Dimensions W x D x H	848mm x 704mm x 2221mm
Cycle life @25°C	≥6000
Charging Efficiency	99%
Operational temperature	0°C to +50°C
Transport	UN3480 & UN38.3
Storage duration	6 months @25°C
Safety standard compliance	IEC 62619 / UN38.3 / UL1642
Cell certificate	TUV / CE / UL1642





Phone: +27 (0)21 555 2181

Web: www.solarmd.com

Address: Unit 23, Alternator Park, 7 Alternator Avenue, Montague Gardens, 7441 Cape Town,

South Africa